QSI





700 SERIES



For nearly 20 years QSI has been synonymous with high-quality desirable cameras for astronomers. Now we proudly announce the 700 Series.


At QSI we are dedicated to the design and manufacture of class-leading astronomy cameras in Europe. We deliver higher quality products than are typically marketed to astronomers and provide superior support and service. QSI cameras are designed in Norwich, UK by a dedicated team having many years of experience in astronomy. Skills include 10-layer high-speed PCB design and platform-independent software code base. The manufacture takes place in a state-of-the-art facility in Lisbon, PT. Quality is controlled using an ISO9001:2015 accredited management system. The factory makes extensive use of solar power and takes seriously the potential impact of manufacture on the environment gaining ISO 14001 accreditation.



SPECIFICATIONS

	760	726
Image Sensor	Sony IMX455 mono CMOS sensor	Sony IMX571 mono CMOS sensor
Resolution	9576 x 6380	6244 x 4168
Pixel Pitch	3.76 µm	3.76 µm
Sensor Size	43.3mm diagonal (36mm x 24mm)	28.3mm diagonal (23.5mm x 15.7mm)
Full Well	51,000 e-	51,000 e-
Read Noise	1.2 e-	1.7 e- (typical)
Set Point Cooling at ambient of 20 C	-25 °C	-25°C
Frame Rate	2 FPS (Full Frame image)	4FPS (Full Frame image)
Mount Type	M54 x 0.75	M54 x 0.75
ADC	16 bit	16 bit
Backfocus Distance	31 mm	31 mm
Reading Mode	Rolling shutter	Rolling shutter
Exposure Range	1 ms - 24 hours	1 ms - 24 hours
Dark Current	0.005 e-/p/s	Typical 0.0003 e-/p/s
Filter Wheel Mechanical indexing for reproducible flats	Filterwheel for 2" or unmounted 50mm filters, 5 or 7 position	Filterwheel for 2" or unmounted 50mm/ 36mm filters
Accessories	Off-Axis guide unit	Off-Axis guide unit
Computer System Requirements	Windows 10+ Linux USB 3.0 8GB Ram 64 bit Operating System.	Windows 10+ Linux USB 3.0 8GB Ram 64 bit Operating System.

USB2 HUB in for connection to guide camera, 2.1 mm 12V power out.



700 SERIES

The new 700 series features: The best CMOS sensors, high-quality electronics, an integrated design case and European manufacture.

QSI 760

The QSI 760 is our flagship product. The full frame IMX455 is widely regarded as the premium sensor for astronomers. The integrated 2"/50mm filter wheel minimises back focus, essential for the widest compatibility with focal reducers. Cable clutter is reduced thanks to the integrated filter wheel, 2 USB2 in sockets and power out. Power sockets have threaded connections for maximum reliability.

QSI 726

The QSI 726 is the optimum camera for most amateur telescopes. The 28mm diagonal IMX571 maximises the sharpest parts of a telescope's image and is less affected by coma and vignetting than larger sensors. As with its bigger brother the 760, cable clutter is reduced thanks to the integrated filter wheel (36mm), 2 USB2 in sockets and power out. Power sockets have threaded connections for maximum reliability.





WE GOT A REVIEW

The QSI 760 CMOS camera received a glowing 5-star review from BBC Sky at Night Magazine! The review highlights the QSI 760 as a professional-grade astrophotography camera, praising its advanced Sony IMX455 full-frame mono sensor, exceptional image quality, and easy setup.

They celebrated its ability to deliver richly detailed, low-noise images and flawless performance, even during extended imaging sessions. Described as a "real joy to use," the QSI 760 has firmly cemented its place at the top of their astronomy camera wish list. This recognition underscores our commitment to delivering cutting-edge imaging solutions for astrophotography enthusiasts and professionals alike.





Photo Credits: Chris Grimmer

"The QSI 760 was a real joy to use and the images produced were top-class. This camera is a professional-grade instrument, that was easy to set up and delivered outstanding results time and time again, firmly cementing itself at the topof our astronomy camera wish list."

- Chris Grimmer for BBC Sky At Night Magazine

